



CL Project No. \_\_\_\_\_  
(Lab Only)

Company: \_\_\_\_\_  
 Contact/Results to: \_\_\_\_\_ Verbal  Email  Fax  (check all that apply)  
 Email(s): \_\_\_\_\_  
 Telephone No.: \_\_\_\_\_ Fax No.: \_\_\_\_\_

Project Information

Project: \_\_\_\_\_ Project No.: \_\_\_\_\_  
 Address: \_\_\_\_\_ P.O. No.: \_\_\_\_\_

Turnaround (check one)

CLEARANCE (PCM)  ASAP (SAME DAY)  RUSH (1-DAY)  2-DAY  STANDARD (3-4-DAY)  5-DAY   
 (IMMEDIATE)

Testing Services (check all that apply, use separate COC's for Asbestos & IAQ)

Asbestos		IAQ - Mold (Non-Viable)
<b>PLM-BULK</b> EPA 600/R-93/116 <input type="checkbox"/> Point Count (400) <input type="checkbox"/>	<b>PCM-AIR</b> NIOSH 7400 <input type="checkbox"/> OSHA: TWA <input type="checkbox"/>	<b>AIR (spore trap)</b> - Standard Profile (count/genus identification) <input type="checkbox"/> <b>AIR (spore trap)</b> - Expanded Profile (w/insect parts/pollen/skin) <input type="checkbox"/> <b>BULK (tape lift, swab)</b> - Standard Profile (genus identification) <input type="checkbox"/>
CatesLab No. Range (Lab Only): —	<b>Sample Date</b>	No. of Samples: _____ Positive Stop: Yes <input type="checkbox"/> No <input type="checkbox"/>

Sample No.	Sample Description/Location	Volume (air only)

Relinquished By:	Date/Time:	Received By:	Date/Time:

AF72017-10 - issued 12/12/2022 Walk-In  D-Drop  F-Drop  FedEx  UPS  Lonestar  USPS

